AUTHOR INDEX

- Barnas, G.M., Harinath, P., Green, M.D., Suki, B., Kaczka, D.W. and Lutchen, K.R., Influence of waveform and analysis technique on lung and chest wall properties, 331
- Bartlett Jr., D. and Knuth, S.L., Influence of hypoxia on ventilatory responses to intralaryngeal CO₂ in cats, 61
- Bennie, R.E., see Packer, C.S., 213
- Berkenbosch, A., see Wolsink, J.G., 25
- Bissonnette, J.M., Hohimer, A.R. and Knopp, S.J., A cholinergic mechanism involved in fetal breathing during the high voltage ECoG state, 151
- Breitenbücher, A., Chediak, A.D. and Wanner, A., Effect of lung volume and intrathoracic pressure on airway mucosal blood flow in man, 249
- Burleson, C., see Morgan, D.W., 345
- Chediak, A.D., see Breitenbücher, A., 249 Chen, L., see Marshall, B.E., 231
- Clancy, R.L., see Gonzalez, N.C., 111
- Clarke, W.R., see Marshall, B.E., 231
- Costarino, A.T., see Marshall, B.E., 231 Craib, M.W., see Morgan, D.W., 345
- DeGoede, J., see Wolsink, J.G., 25 Donic, V., see Tomori, Z., 163
- Eager, K.R., Robinson, B.J., Galletly, D.C. and Miller, J.H., Endogenous opioid modulation of hypercapnic-stimulated respiration in the rat, 13
- Filarski, K., see Morgan, D.W., 345
- Fung, M.-L., Wang, W. and St. John, W.M., Involvement of pontile NMDA receptors in inspiratory termination in rat, 177
- Fung, M.-L. and John, W.M.S., Separation of multiple functions in ventilatory control of pneumotaxic mechanisms, 83

- Fung, M.-L. and St. John, W.M., Electrical stimulation of pneumotaxic center: activation of fibers and neurons. 71
- Galletly, D.C., see Eager, K.R., 13
- Garland, R.J., Kinkead, R. and Milsom, W.K., The ventilatory response of rodents to changes in arterial oxygen content, 199
- Gilmour , K.M., Randall, D.J. and Perry, S.F., Acid-base disequilibrium in the arterial blood of rainbow trout, 259
- Gonzalez, N.C., Perry, K., Moue, Y., Clancy, R.L. and Piiper, J., Pulmonary gas exchange during hypoxic exercise in the rat. 111
- Green, M.D., see Barnas, G.M., 331
- Griffin, A. and Scott, R.H., Properties of K⁺ currents recorded from cultured ovine trachea submucosal gland cells, 297
- Guénard, H., see Zhao, W., 285
- Harinath, P., see Barnas, G.M., 331
- Hildebrandt, J., see Kikuchi, R., 127
- Hohimer, A.R., see Bissonnette, J.M., 151 Huang, Q., see Nattie, E.E., 189
- Truang, Q., see Transe, E.E., 107
- Hussain, S.N.A., see Wilson, C.R., 1
- Iwamoto, J., Krasney, J.A. and Morin III, F.C., Methemoglobin production by nitric oxide in fresh sheep blood, 273
- Ji, L.L., see Lawler, J.M., 139
- John, W.M.S., see Fung, M.-L., 83
- Jordan, S., see Morgan, D.W., 345
- Kaczka, D.W., see Barnas, G.M., 331
- Kikuchi, K., see Kikuchi, R., 127
- Kikuchi, R., Kikuchi, K., Hildebrandt, J., Sekizawa, K., Yamaya, M. and Sasaki, H., Bronchomotor agents and hysteresis of collateral resistance in dog lobe, 127
- Kinkead, R., see Garland, R.J., 199
- Knopp, S.J., see Bissonnette, J.M., 151

Knuth, S.L., see Bartlett Jr., D., 61 Kordus, M.J., see Lawler, J.M., 139 Krahenbuhl, G.S., see Morgan, D.W., 345 Krasney, J.A., see Iwamoto, J., 273

Kurpas, M., see Tomori, Z., 163

Lawler, J.M., Powers, S.K., Van Dijk, H., Visser, T., Kordus, M.J. and Ji, L.L., Metabolic and antioxidant enzyme activities in the diaphragm: effects of acute exercise, 139

Leiter, J.C., see Manning, H.L., 99 Li, A., see Nattie, E.E., 189 Lutchen, K.R., see Barnas, G.M., 331

Magder, S., see Wilson, C.R., 1Manning, H.L., Slogic, S. and Leiter, J.C., Tidal volume perception in normal subjects: the effect of altered arterial P_{CO}, 99

Marshall, B.E., Clarke, W.R., Costarino, A.T., Chen, L., Miller, F. and Marshall, C., The dose-response relationship for hypoxic pulmonary vasoconstriction, 231

Marshall, C., see Marshall, B.E., 231

McLean, H.A. and Remmers, J.E., Respiratory motor output of the sectioned medulla of the neonatal rat, 49

Miller, F., see Marshall, B.E., 231 Miller, J.H., see Eager, K.R., 13 Mills, J., see Nattie, E.E., 189 Milsom, W.K., see Garland, R.J., 199

Morgan, D.W., Craib, M.W., Krahenbuhl, G.S., Woodall, K., Jordan, S., Filarski, K., Burleson, C. and Williams, T., Daily variability in exercise ventilation, 345

Morin III, F.C., see Iwamoto, J., 273 Moue, Y., see Gonzalez, N.C., 111

Nagaki, M., Sasaki, T., Shimura, S., Satoh, M., Takishima, T. and Shirato, K., CGRP induces [Ca²⁺], rise and glycoconjugate secretion in feline tracheal submucosal gland, 311

Nattie, E.E., Li, A., Mills, J. and Huang, Q., Retrotrapezoid nucleus muscarinic receptor subtypes localized by autoradiography, 189

Okayama, H., see Satoh, M., 321 Olievier, C.N., see Wolsink, J.G., 25

Packer, C.S., Bennie, R.E., Powell, D.R. and Rhoades, R.A., Neonatal hypoxia: long term effects on pulmonary arterial muscle, 213 Palenikova, R., see Tomori, Z., 163 Perry, K., see Gonzalez, N.C., 111 Perry, S.F., see Gilmour, K.M., 259 Piiper, J., see Gonzalez, N.C., 111 Powell, D.R., see Packer, C.S., 213 Powers, S.K., see Lawler, J.M., 139

Randall, D.J., see Gilmour, K.M., 259 Remmers, J.E., see McLean, H.A., 49 Rhoades, R.A., see Packer, C.S., 213 Robinson, B.J., see Eager, K.R., 13

Sasaki, H., see Kikuchi, R., 127

Sasaki, T., see Nagaki, M., 311
Sasaki, T., see Satoh, M., 321
Satoh, M., see Nagaki, M., 311
Satoh, M., Shimura, S., Sasaki, T., Yamamoto, M., Okayama, H., Takishima, T. and Shirato, K., Magnesium regulates ion transport across canine tracheal epithelium, 321
Scott, R.H., see Griffin, A., 297
Sekizawa, K., see Kikuchi, R., 127
Sekizawa, S.-i. and Tsubone, H., Nasal receptors responding to noxious chemical irritants, 37

Shimura, S., see Nagaki, M., 311 Shimura, S., see Satoh, M., 321 Shirato, K., see Nagaki, M., 311 Shirato, K., see Satoh, M., 321 Slogic, S., see Manning, H.L., 99 St. John, W.M., see Fung, M.-L., 177 St. John, W.M., see Fung, M.-L., 71 Suki, B., see Barnas, G.M., 331

Takishima, T., see Nagaki, M., 311
Takishima, T., see Satoh, M., 321
Tomori, Z., Donic, V., Kurpas, M. and Palenikova, R.,
Sniff-like aspiration reflex evoked by pressure pulses from the upper airways in cats, 163
Tsubone, H., see Sekizawa, S.-i., 37

Van Dijk, H., see Lawler, J.M., 139 Vanelli, G., see Wilson, C.R., 1 Visser, T., see Lawler, J.M., 139

Wang, W., see Fung, M.-L., 177
Wanner, A., see Breitenbücher, A., 249
Williams, T., see Morgan, D.W., 345
Wilson, C.R., Vanelli, G., Magder, S. and Hussain, S.N.A., Phrenic afferent stimulation by

bradykinin and the distribution of the inspiratory motor drive, 1

Wolsink, J.G., Berkenbosch, A., DeGoede, J. and Olievier, C.N., Ventilatory interaction between hypoxia and hypercapnia in piglets shortly after birth, 25

Woodall, K., see Morgan, D.W., 345

Yamamoto, M., see Satoh, M., 321 Yamaya, M., see Kikuchi, R., 127

Zhao, W. and Guénard, H., Bronchial smooth muscle energetics: effect of iodoacetate and hypoxia, 285



SUBJECT INDEX

Acid-base equilibrium arterial blood (trout), 259 Afferents phrenic, bradykinin, 1 trigeminal nerve, chemosensitivity, 37 blood flow, lung volume, intrathoracic pressure, 249 Blood equilibrium curve, temperature coefficients, 111 NO, methemoglobin, 273 Blood flow airways, soluble inert gases, 249 Bronchi smooth muscle, metabolism, hypoxia, 285 Carbon dioxide airways, systemic hypoxia, normoxia, 61 excretion, acid-base disequilibrium (trout), 259 tidal volume perception, 99 Carbon monoxide ventilatory response, 199 Carbonic anhydrase fish blood, 259 Chemoreceptors central, 189 peripheral, central, CO2, 25 Chemosensitivity respiratory, medulla, 49 CO2 response, opioids, 13 Collateral ventilation smooth muscle tone, 127 Control of breathing airway CO2, normoxia, hypoxia, 61 central chemoreceptors, 189 central motor output, 49 central rhythm generation, 83 CO2 response, opioids, 13 hypoxic ventilatory response, arterial O2 content, 199 inspiratory muscles, bradykinin, 1

nasal afferents, chemosensitivity, 37

NMDA receptors, 177 O2, CO2 sensitivity, 25 pneumotaxic center, 71 sleep, central mediators (fedal sheep), 151 voltage-dependent K+, submucosal gland cells, Development chemosensitivity (piglet), 25 neonatal hypoxia, pulmonary arterial smooth muscle, 213 Diffusing capacity lung, hypoxia, exercise, 111 Elastance respiratory system, external forcing, 331 Enzyme metabolic, diaphragm, exercice, 139 Epithelium tracheal, ion transport, 321 Exercise diaphragm, enzyme activity, 139 hypoxia, pulmonary gas exchange (rat), 111 submaximal, variation of ventilation, 345 Fetal breathing sheep, muscarinic effects, 151 Fish trout (Oncorhynchus mykiss), 259 Gas exchange pulmonary, exercise, hypoxic rat, 111 Gland submucosal, K* current, 297 submucosal, trachea, intracellular Ca2+, 311 Glycoconjugate secretion submucosal gland, CGRP, 311 Hemoglobin metHb, NO, 273 Hypoxia airway CO2, 61 bronchial smooth muscle metabolism, 285 CO2 sensitivity, 25 exercise, pulmonary gas exchange (rat), 111 neonatal, pulmonary arterial smooth muscle,

diaphragm, stimulation, bradykinin, 1 pulmonary vasoconstriction, 231 smooth, pulmonary artery, neonatal hypoxia, vs carbon monoxide, ventilatory response, 199 213 Inert gases Nitric oxide soluble, airways blood flow, 249 metHb formation, 273 Interaction O2, CO2 chemosensitivity, 25 agonist, antagonist, ventilatory CO2 response, Ion transport 13 tracheal epithelium, electrical properties, 321 Oxygen radicals exercise, diaphragm, 139 channel, submucosal gland cell, 297 Pattern of breathing Kainic acid inspiratory off-switch, NMDA receptors, 177 pneumotaxic center, 83 Perception Mung blood flow tidal volume, CO2, 99 hypoxia, 231 Pharmacological agents Mammals 3H-ONB, 189 cat, 61, 71, 83, 163, 189, 311 ammonia, 37 cattle, 285 capsaicin, 37 dog, 1, 127, 231, 321, 331 CNOX, DNOX, 177 ground squirrel (Spermophilus lateralis), 199 dermorphin, 13 guinea pig, 37 iodoacetate, bronchial smooth muscle, 285 human, 99 Kainic acid, 177 humans, 249, 345 muscarinic agonists, 189 piglets, 25 muscarinic antagonists, 189 rat, 13, 111, 139, 177, 199, 213 naloxone, 13 rat, neonatal, 49 nicotine, 37 sheep, 273, 297 NMDA antagonists, MK 801, AP-5, 177 sheep (fetal), 151 Pneumotaxic center Mechanics of breathing various functions, 83 resistance, compliance, mechanical ventilation, Pressure 331 intrathoracic, airways blood flow, 249 Mediators pulses, upper airways, respiratory reflexes, 163 bradykinin, diaphragm, 1 Pulmonary blood flow calcitonin gene-related peptide, 311 hypoxia, 231 central, acetylcholine, fetal breathing, 151 Pulmonary circulation NMDA, inspiratory off-switch, 177 neonatal hypoxia, 213 opioids, ventilatory CO2 response, 13 Receptors Medulla larynx, CO2 sensitivity, hypoxia, 61 pons, pattern of breathing, 83 muscarinic, ventral medullary slices, 189 pons, rhythm generation, 71 NMDA, pons, inspiratory off-switch, 17 slices, chemoreceptors, 189 Membrane potential aspiration, pressure pulses upper airways, 163 tracheal epithelium, cations, 321 Resistance Metabolism airways, external forcing, 331 bronchial smooth muscle, hypoxia, iodocacpulmonary vascular, hypoxia, 231 etate, 285 Methemoglobin respiratory, generation, 49, 71 NO, 273 Sensation respiratory, CO2, 99 Muscle bronchial smooth, metabolism, 285 Sheep diaphragm, enzyme activity, 139 fetal breathing, central mediators, 151

Smooth muscle bronchial, metabolism, 285 tone, bronchial, collateral channels, 127 Trachea epithelium, ion transport, 321 submucosal gland, CGRP, 311 Upper airways pressure pulses, breathing pattern, 163 Ventilation
collateral, smooth muscle tone, 127
mechanical, external forcing, 331
tidal volume perception, 99
variability, submaximal exercise, 345
Volume
lung, airways blood flow, 249